

According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Page 1

Trade name: Polyamide 6.10 (PA6.10) Granulate

1. Identification of the substance / mixture and of the company / undertaking

Polyamide 6.10 (PA6.10) Granulate

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Yarn production, plastics industry

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Nexis Fibers a.s., Chemlonská 1, 066 12 Humenné, Slovakia Tel. +421 57 771 3145, Fax +421 57 772 2650 E-Mail: productsafety@nexis-fibers.com

1.4. Emergency telephone number:

+421 (0)57 771 3370 (Nexis Fibers a.s.) - during normal Slovak business hours

2. Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified as dangerous according to the Regulation (EC) Nr. 1272/2008		
2.2. Label elements	The product not needs the labelling n according to Regulation (EC) Nr. 1272/2008	
2.3 Other hazards	Melted product may cause severe burns. To the best of our knowledge, Polyamide 6.10 product have not been associated with negative effect on humans if used in accordance with good industrial hygiene practice and any legal requirements	

3. Composition / information on ingredients

3.1. Substances	Polyamide 6.10 (PA 6.10) Sebacic acid and 1.6-hexanediamine Polymer
	[CAS No. 9008-66-6] or [CAS No. 9011-52-3] - amount 100%

No dangerous ingredients according to Regulation (EC) No. 1272/2008

4. First aid measures

The product is not dangerous when in granulated form. To the best of our knowledge, Polyamide 6.10 product have not been associated with negative effects on humans if used in accordance with good industrial hygiene practice and any legal requirements



According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Trade name: Polyamide 6.10 (PA6.10) Granulate

4.1. Description of firs aid measures

Inhalation:	Not specifically concerned		
Skin contact:	After prolonged skin irritation, consult a doctor. After contact with the molten product, cool rapidly with cold water. Do not pull solidified product away from the skin. Seek medical treatment.		
Eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.		
Ingestion:	In case of persistent symptoms consult doctor.		
4.2. Most important symptoms and effects, both acute and delayed not know			

4.3. Indication of any immediate medical attention and special treatment needed

In case of contact with melted product or vapours, get immediately medical attention.

5. Firefighting measures

5.1. Extinguishing media

Suitable:All usual extinguishing media may by used (spray water, foam, carbon
dioxide, chemical powder)Unsuitable:No restrictions

5.2. Special hazards arising from the substances or mixture

In case of fire can be released Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen cyanide (HCN) Nitrogen oxides (NOx) Under certain fire conditions, traces of other toxic gases cannot be excluded

5.3. Advice for firefighters

Use autonomous respirators, integral gas mask with polyvalent filter, gloves, boots, overall, to fight fire indoor or in poorly ventilated areas. Do not use water as extinguishing agent in the presence of uninterrupted electrical installations.

Move away no-protected and no-authorized people



According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Trade name: Polyamide 6.10 (PA6.10) Granulate

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- 6.1.1. For non-emergency personnel:
 - Move away no-protected and no-authorized person
- 6.1.2. For emergency responders:

Wear protective gloves, safety goggles, waterproof boots or shoes

6.2. Environmental precautions

The product is not associated with ecological problems. No risks to the environment. Stop the leakage and isolate the area.

6.3. Methods and material for containment and cleaning up

No special safety risks. Collect material for controlled re-use or waste disposal. Polyamide granules left on the floor may cause falls.

6.4. Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7. Handling and storage

7.1. Precaution for safe handling

Store in cool, dry place in tightly closed containers. Handle the product away from heat source or flames. Melted product avoid breathing vapours; operate under suction Prevent formation of dust. Any deposit of dust which cannot be avoided must be removed regularly.

7.2. Conditions for safe storage, including any incompatibilities

Consider technical advises referring to optimal process ability. The packages must be kept closed until utilization, particularly when the product is dry, because it absorbs humidity from air. Store away from the direct rays of the sun in the room with a proper ventilation. Remove dust, ventilation and vacuum cleaning. Keep away from ignition sources. Beware of static electricity. The product is packed upon delivery in suitable packaging material which may be recycled.

7.3. Specific end use Yarn mono / multifilament, **t**uft, tech. polymer production



According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Trade name: Polyamide 6.10 (PA6.10) Granulate

8. Exposure controls / personal protection

8.1. Control parameters

Components with critical values that require monitoring at the workplace:

General dust limit values for airborne particles are PEL (OSHA) = 15 mg/m³ (inhalable fraction, TWA) and PEL(OSHA) = 5 mg/m³ (respirable fraction, TWA).

8.2. Exposure controls

9.2. Other information

Personal protective equipment

a) General protective and hygienic measures Wash hands during breaks and at the end of the work.

Avoid skin contact with the liquefied material. Do not inhale dust / smoke / mist. Avoid close or long term contact with the skin.

Protective work clothing

- b) Body protection: c) Protection of hands:
 - Protective gloves
- d) Eye protection: Safety glassese) Breathing equipment: Use breathing protection in case of insufficient
 - ventilation.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Appearance:	Form	solid, granules
	Colour	raw white (nature)
(b) Odour:		odourless
(c) Odour threshold:		not applicable
(d) pH:		not applicable
(e) Melting point/freezing point		215 – 223 °C
(f) Initial boiling point and boiling point		not applicable
(g) Flash point:		not applicable
(h) Evaporation rate:		not applicable
(i) Self-inflammability (solid,):		product is not self-igniting
(j) Upper/lower flan	nmability or explosive l	imits: not applicable
(k) Vapour pressure:		not applicable
(l) Vapour density		not applicable
(m) Relative density		$1, 06 - 1, 10 \text{ g/m}^3$
(n) Solubility (ies):		non soluble in water, soluble in formic acid and pheno
(o) Partition coefficient: n-octanol/water		not applicable
(p) Decomposition temperature:		Starts at about 350 °C
(q) Density		$1,06-1,10 \text{ g/cm}^3$
(r) Viscosity index (HCOOH)		120-250
(s) Explosive properties		non explosive
(t) Oxidising properties		not oxidizer

not available



According to (EC) Nr. 1907/2006



Edition Date: 1.07.2015

Version 1.00

Trade name: Polyamide 6.10 (PA6.10) Granulate

10. Stability and reactivity

10.1. Reactivity			
10.2. Chemical stability	ith strong oxidizers and with strong acids		
The pol Decomp	yamide 6.10 granular is a stable product position happens at 350°C. The substance may release oxides of and hydrogen cyanide		
	s reaction nder normal storage conditions perature 350 °C the product decompose.		
10.4. Conditions to avoid	No further relevant information available		
10.5. Incompatible material	s strong oxidizer, strong acids		
10.6. Hazardous decomposition products CO ₂ , CO, NO _x , HCN			
11. Toxicological information			
11.1. Information on toxic	ological effects		
(a) Acute toxicity:	none under normal usage.		
(b) Skin corrosion/irritation:	Contact with melted product can cause burns.		
(c) Serious eye damage / irrita	*		

- (d) Respiratory or skin sensitization:
- (e) Germ cell mutagenicity:
- f) Carcinogenicity:
- (g) Reproductive toxicity:
- (h) STOT-single exposure:
- (i) STOT repeated exposure:
- (j) Aspiration hazard:

none under normal usage. Contact with melted product can cause burns. product is inert. product is inert. product is inert. product is inert. no classification in STOT- SE. no classification in STOT- SE. no hazard.

12. Ecological information

12.1. Toxicity

The product is not associated with ecological problems. The information came from the structure. For aquatic organism the product may be non-toxic. In water is not soluble.

12.2. Persistence and degradability

The product, in granules form, is inert and not biodegradable. In water is not soluble, but can be separate by appropriate mechanical waste water treatment

- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects

No further relevant information available. No further relevant information available No further relevant information available No further relevant information available

According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Trade name: Polyamide 6.10 (PA6.10) Granulate

13. Disposal considerations

13.1. Waste treatment methods

Can be disposed of as solid waste or burned in suitable installations, subject to local regulations.

Recycling or thermal recycling is recommended for both – the product and packaging material.

14. Transport information

There is no need of labelling the product according to EC directive 67/548, 1999/45, 1907/206 since is not classified as hazardous.

14.1. UN number not classified as danger product, according to transport regulation.

14.2. UN proper shipping name

ADR, ADN, IMDG, IATA not classified as danger product, according to transport regulation. 14.3. Transport hazard class(es)

ADR, ADN, IMDG, IATA
14.4. Packing group
ADR, IMDG, IATA
not classified as danger product, according to transport regulation.

ADR, IMDG, IATA not classified as danger product, according to transport regulation. 14.5. Environmental hazards: Terrestrial, see, air transport

Class RID/ADR	not classified as hazardous material
Class ICAO/IATA	not classified as hazardous material
Class OMI/IMDG	not classified as hazardous material

14.6. Special precautions for user No applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Classified as no danger product according to transports regulation.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation EC 1907/2006 Regulation EC 1272/2008 Regulation EC 453/2010

15.2. Chemical safety assessment

Product is exempted of registration under EC 1907/206 regulation, not classified as hazardous according to EC 1272/2008 regulation,

product not needs a chemical safety assessment



According to (EC) Nr. 1907/2006

Edition Date: 1.07.2015

Version 1.00

Page 7

Trade name: Polyamide 6.10 (PA6.10) Granulate

16. Other information

The information contained herein is based on our present knowledge

This Safety Data Sheet is intended to inform about physical properties, safety aspects, toxicological data and ecological characteristics that are relevant for the use of synthetic granules in fibers, technical and industrial applications, and to recommend procedures for their handling, storage and transport. This Safety Data Sheet is a complement to Technical Data Sheets but does not replace them. The information given is to the best of our knowledge at the date of issue. It does not constitute a contractual description of product properties. It is not meant to be handed out to private end-users. The Safety Data Sheet does not disengage the user of his duty to know and to apply any law and regulation that may be relevant.

Product is not classified as hazardous. Annex with exposure scenario is not foresee, because the use of the product is safe.